

P PRODUCTS OF PROGRESS


CATALOG No. 100



PROGRESS MANUFACTURING CO., Inc.

Leaders in Lighting for Half a Century

GERMANTOWN AVENUE & MASTER STREET • PHILADELPHIA 22, PA.



TOOLMAKING




METAL STAMPING



METAL CONDITIONING



ASSEMBLY



TOOLMAKING

In keeping with our "Self Sufficiency Policy" all tools and dies used in manufacturing Progress Products are produced in our own tool shops, which are completely equipped with the finest and most modern machine tools.

METAL STAMPING

Our presses (approximately 150 in number — ranging in capacity from 10 to 175 tons) are all in daily operation on a full time basis to meet the demand for Progress Products.

METAL CONDITIONING

Ultra-modern methods and equipment are used in the preparation of metal parts before painting. After thorough washing and degreasing, a non-metallic hard crystalline coating is applied to provide a bond for anchoring paint and inhibiting under-paint corrosion, thereby warding off deterioration and preserving the original beauty of the finish.

ASSEMBLY


Long conveyor-belt assembly lines are manned by highly specialized operators, each handling his own phase of assembly. Through methods such as this, Progress achieves better workmanship, greater uniformity and higher output.

Progress

IN HOME LIGHTING

From a small beginning, almost fifty years ago, PROGRESS has attained and held its position as "Leader in Residential Lighting" by constantly *Looking Ahead and Keeping Ahead*.

Today—with the largest and finest plants and facilities in the entire field—we are continuing, through foresighted Research . . . Engineering . . . and Ultra-Modern Production Methods, to design and produce for Homemakers throughout the world, lighting fixtures which combine the ultimate in beauty, efficiency, quality and value.



OUTDOOR AND INDOOR LANTERNS

No. 566 — Dia. 5½"; Overall Ht. 7"; Ext. from Wall 5½".

Frosted Glass Cylinder

FINISHES: Antique Copper and Brass, or Black and Brass.

No. 567 — Dia. 5½"; Overall Ht. 8".

Frosted Glass Cylinder

FINISHES: Antique Copper and Brass, or Black and Brass.

No. 770 — Dia. 4½"; Overall Ht. 7½"; Ext. from Wall 5¼"; Clear Marine Cylinder.

FINISHES: Antique Copper, Black and Brass or Polished Brass.

No. 771 — Dia. 4½"; Overall Ht. 7½"; Clear Marine Cylinder.

FINISHES: Antique Copper, Black and Brass or Polished Brass.

No. 772 — Dia. 4¾"; Overall Ht. 9½"; Ext. from Wall 5½"; Clear Fluted Cylinder.

FINISHES: Antique Copper, Black and Brass or Polished Brass.

No. 774 — Dia. 4½"; Overall Ht. 8¼"; Ext. from Wall 5¾"; Clear Marine Cylinder.

FINISHES: Antique Copper, Black and Brass or Polished Brass.

No. 775 — Dia. 4½"; Overall Ht. 7½"; Clear Marine Cylinder.

FINISHES: Antique Copper, Black and Brass or Polished Brass.

No. 776 — Dia. 4¾"; Overall Ht. 7¼"; Ext. from Wall 5½"; Clear Marine Cylinder.

FINISHES: Antique Copper, Satin Black or Polished Brass.

No. 777 — Dia. 4¾"; Overall Ht. 8"; Clear Marine Cylinder.

FINISHES: Antique Copper, Satin Black or Polished Brass.

No. 779 — Dia. 6"; Overall Ht. 7½"; Crystal Pebble Glass Cyl.

FINISHES: Antique Copper or Polished Brass.

No. 902 — Dia. 5¼"; Overall Ht. 7¾"; Ext. from Wall 5¾"; Clear Colonial Cylinder.

FINISHES: Antique Copper, Satin Black or Polished Brass.

No. 903 — Dia. 5¼"; Overall Ht. 8½"; Clear Colonial Cylinder.

FINISHES: Antique Copper, Satin Black or Polished Brass.

No. 948 — Dia. 4¾"; Overall Ht. 7½"; Ext. from Wall 5½"; Clear Marine Cylinder.

FINISHES: Antique Copper, Satin Black or Polished Brass.

No. 947 — Dia. 4¾"; Overall Ht. 7¾"; Clear Marine Cylinder.

FINISHES: Antique Copper, Satin Black or Polished Brass.



775



774



776



777



903



902



770




771



947



948



772



779



567



566



... PRODUCTS

INCANDESCENT



961




960




962



963



950



727
729



735



742



No. 727—Surface Ceiling Box
7½" x 7½" x 3¼" deep. Wired
for 1 lamp (60 W recommended).

Glazed with Screenex Glass

FINISHES: Antique Copper, Satin Black
or Polished Brass.

No. 729—Surface Ceiling Box
9¼" x 9¼" x 3¼" Deep; Wired
for 2 lamps (60 W recommended).

Glazed with Screenex Glass

FINISHES: Antique Copper, Satin Black
or Polished Brass.

**No. 735—Wall Pocket Lan-
tern.** Ht. 8⅞"; Width 4⅝"; Ext.
from Wall 4⅞".

**Glazed with Screenex Crystal
Glass**

FINISH: Satin Black.

No. 742—Overall Ht. 8½";
Width 6"; Depth 4½"; Ext. from
Wall 5".

FINISHES: Antique copper with solid
brass trim and solid brass reflector.
Satin black with solid brass trim
and solid brass reflector, or . . .
Satin brass with polished brass trim
and reflector.

**Glazed with BEVELLED Crystal
Plate Glass**

No. 740 (Not Illustrated)—
Same as No. 742 but glazed with
plain crystal plate glass.

No. 950—Back-Door Light
Diam. of Wall Canopy 5"; Ext. from
Wall 4½".

FINISH: Satin black.

No. 960—Dia. 7½"; Overall
Ht. 9"; Ext. from Wall 5".

**Glazed with Screenex Crystal
Glass.**

FINISHES: Antique Copper, Black and
Brass or Polished Brass.

No. 961—Dia. 7½"; Overall
Ht. 9".

**Glazed with Screenex Crystal
Glass.**

FINISHES: Antique Copper, Black and
Brass or Polished Brass.

No. 962—Dia. 7¾"; Overall
Ht. 8¼"; Ext. from Wall 8½".

Glazed with Crystal Plate Glass

FINISH: Black with Brass Trim.

No. 963—Dia. 7¾"; Overall
Ht. 9".

Glazed with Crystal Plate Glass.

FINISH: Satin Black.

OF PROGRESS

POST LANTERNS

All Post Lanterns Glazed with Crystal Plate Glass. $\frac{3}{4}$ Sand-blasted Chimney. (No Chimney in No. 980.) Equipped with Post-Holder for 3" Post

No. 980

Overall Height 13 $\frac{1}{4}$ "
Diameter 7 $\frac{3}{4}$ "

Finish: Black-and-Brass

No. 981

Overall Height 17"
Diameter 9 $\frac{1}{2}$ "

Finish: Black-and-Brass

No. 9810

Overall Height 17"
Diameter 9 $\frac{1}{2}$ "
Roof Glazed with Plate Glass Panels

Finish: Black-and-Brass

No. 990

Overall Height 15 $\frac{1}{4}$ "
Diameter 7 $\frac{3}{4}$ "

Finish: Black-and-Brass

No. 991

Overall Height 19"
Diameter 9 $\frac{1}{2}$ "

Finish: Black-and-Brass

No. 9910

Overall Height 19"
Diameter 9 $\frac{1}{2}$ "
Roof Glazed with Plate Glass Panels

Finish: Black-and-Brass

No. TP-100

All-Aluminum Telescoping Lamp Post

Natural aluminum color. Attractive in original tone or suitable for painting in any desired color.

Adjustable height. Constructed of two heavy gauge tubes which telescope and are held in desired position with set-screws. Adjustable from minimum height of 4 $\frac{1}{2}$ feet to maximum height of 8 feet.

Made to fit 3" post holder.

Ladder rest may be used as arm for a hanging sign by changing position. Knobs are removable if desired.




981



991



9810





9910



990





990




..... P R O D U C T S

LUMILINE BRACKETS




- ★ NO REMOVABLE CAPS
- ★ NO BREAKAGE OF LAMPS
- ★ NO REPLACEMENT OF CAPS
- ★ FULLY GUARANTEED AGAINST FALLING OF LAMPS



POSITIVE SPRING ACTION

Holds lamps firmly and securely in place. No vibration or rough handling will cause lamps to fall out.

WALL BRACKET WALL BRACKET WITH ADJUSTABLE REFLECTOR



The "LUMILEADER"

Developed and engineered by Progress, for 12" 40 watt and 18" 60 watt lumiline lamps. Equipped with patented* Progress-designed and Progress-manufactured one-piece "Perma-Grip" built-in lamp-holders. Polished chromium finish. On and off switch, standard equipment.

WALL BRACKET

for 12" 40 W lamp

Length 14 1/4" • Width 2 5/8"

No. S-12 (less convenience outlet)

No. S-12CO (with convenience outlet)

for 18" 60 W lamp

Length 20 1/4" • Width 2 5/8"

No. S-18 (less convenience outlet)

No. S-18CO (with convenience outlet)

WALL BRACKET WITH ADJUSTABLE REFLECTOR

for 12" 40 W lamp

Length 14 1/4" • Width 2 5/8"

No. SR-12 (less convenience outlet)

No. SR-12CO (with convenience outlet)

for 18" 60 W lamp

Length 20 1/4" • Width 2 5/8"

No. SR-18 (less convenience outlet)

No. SR-18CO (with convenience outlet)


SEPARATE REFLECTORS

No. R-40 for S-12 (12" 40 W lamp)


No. R-60 for S-18 (18" 60 W lamp)

*U.S. Patent No. 2554541.

LUMILINE BED LAMPS



"KLIP-ON" ADJUSTABLE BED LAMP



"PIN-UP" ADJUSTABLE BED LAMP



FOR 12" 40W LUMILINE LAMP

13 7/8" LONG — 1 7/8" WIDE

No. 2002 — "KLIP-ON"

Bed Lamp

With adjustable reflector. Fits any standard bed. Spring steel clips for lifetime service. Back and clips specially cushioned to prevent scratching or marring of bed.

No. 2001 — "PIN-UP"

Bed Lamp

ADJUSTABLE

For pinning up over low-type or backless beds. Adjustable body and reflector can be turned to any desired angle. Confines light where wanted. No disturbing glare.

Nos. 2002 and 2001 available in Bank Bronze or Polished Chromium Finish.

O F P R O G R E S S



RECESSED and SEMI-RECESSED UNITS



EQUIPPED WITH THE EXCLUSIVE NEW PROGRESS "INSTANT EASE" HINGED FRAMES

Hinges are fully concealed inside box but designed for free, easy swing.

Frame clears ceiling when box is opened for relamping or maintenance.

No scratched or marred ceilings.

"PRISM LENS" RECESSED UNITS CLEAR CRYSTAL PRISMATIC GLASS

No. 602 — For lamps up to 60W
Box size— $6\frac{3}{4}$ " x $6\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size— $8\frac{1}{4}$ " x $8\frac{1}{4}$ "

No. 603 — For lamps up to 60W
Box size— $4\frac{3}{4}$ " x $7\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size— $6\frac{1}{4}$ " x $9\frac{1}{4}$ "

No. 604 — For lamps up to 100W
Box size— $8\frac{3}{4}$ " x $8\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size— $10\frac{1}{4}$ " x $10\frac{1}{4}$ "

No. 605 — For lamps up to 100W
Box size— $6\frac{3}{4}$ " x $10\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size— $8\frac{1}{4}$ " x $12\frac{1}{4}$ "

No. 606 — For lamps up to 150W
Box size—11" x 11" x $4\frac{1}{4}$ " high
Frame size— $12\frac{1}{2}$ " x $12\frac{1}{2}$ "

"PRISM LENS" SEMI-RECESSED UNITS FROSTED PRISMATIC GLASS WITH CLEAR CENTER PANEL

No. 702 — For lamps up to 60W
Box size— $6\frac{3}{4}$ " x $6\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size— $8\frac{1}{4}$ " x $8\frac{1}{4}$ "

No. 703 — For lamps up to 60W
Box size— $4\frac{3}{4}$ " x $7\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size— $6\frac{1}{4}$ " x $9\frac{1}{4}$ "

No. 704 — For lamps up to 100W
Box size— $8\frac{3}{4}$ " x $8\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size— $10\frac{1}{4}$ " x $10\frac{1}{4}$ "

No. 705 — For lamps up to 100W
Box size— $6\frac{3}{4}$ " x $10\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size— $8\frac{1}{4}$ " x $12\frac{1}{4}$ "


No. 706 — For lamps up to 150W
Box size—11" x 11" x $4\frac{1}{4}$ " high
Frame size— $12\frac{1}{2}$ " x $12\frac{1}{2}$ "




602
604
606



603
605



703
705



702
704
706




SHOWING
UNIT OPEN
FOR RELAMPING
OR
MAINTENANCE




..... PRODUCTS

INCANDESCENT



402
404
406



403
405



SHOWING
UNIT OPEN
FOR RELAMPING
OR
MAINTENANCE



- Heavy steel construction
- Extra wide, **ONE-PIECE** chromium plated frames to eliminate light spillage
- Air vents on all sides of box provide extra ventilation for longer lamp life
- Key slot knockouts on top for direct mounting of 4" outlet box to recessed box

RECESSED UNITS WITH CERAMIC DESIGNED PANELS


No. 402 — For lamps up to 60W
Box size—6¾" x 6¾" x 4¼" high
Frame size—8¼" x 8¼"

No. 403 — For lamps up to 60W
Box size—4¾" x 7¾" x 4¼" high
Frame size—6¼" x 9¼"

No. 404 — For lamps up to 100W
Box size—8¾" x 8¾" x 4¼" high
Frame size—10¼" x 10¼"

No. 405 — For lamps up to 100W
Box size—6¾" x 10¾" x 4¼" high
Frame size—8¼" x 12¼"

No. 406 — For lamps up to 150W
Box size—11" x 11" x 4¼" high
Frame size—12½" x 12½"



THE NEW *Progress* RECESSED UNIT DISPLAY

- **COLORFUL**
Blue and silver color scheme to harmonize with chromium frames on fixtures.
- **EASY TO INSTALL**
Consists of only four pieces. Can be erected in just a few minutes; complete instructions furnished.
- **COMPLETE**
Shows cross section of complete lines. Fixtures Nos. 602, 403, 704, C-305, 606, 6220, and 7220 are furnished already wired.
- **COMPACT**
71" high; occupies only 28 inches of floor space.

O F P R O G R E S S




"BUDGET BOXES"



- Air vents on all four sides of box
- Key slot knockouts on top, for direct mounting of 4" outlet box to recessed box

RECESSED UNITS WITH CERAMIC DESIGNED GLASS PANELS, POLISHED CHROMIUM FRAMES.

- No. C-302—For lamps up to 60W**
Box size— $6\frac{3}{4}$ " x $6\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—8" x 8"
- No. C-303—For lamps up to 60W**
Box size— $4\frac{3}{4}$ " x $7\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—6" x 9"
- No. C-304—For lamps up to 100W**
Box size— $8\frac{3}{4}$ " x $8\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—10" x 10"
- No. C-305—For lamps up to 100W**
Box size— $6\frac{3}{4}$ " x $10\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—8" x 12"
- No. C-306—For lamps up to 150W**
Box size—11" x 11" x $4\frac{1}{4}$ " high
Frame size—12 $\frac{1}{4}$ " x 12 $\frac{1}{4}$ "




RECESSED UNIT
WITH CERAMIC
DESIGNED GLASS



RECESSED UNIT
WITH OPAL GLASS

RECESSED UNITS WITH OPAL GLASS PANELS, POLISHED CHROMIUM FRAMES.

- No. F-302—For lamps up to 60W**
Box size— $6\frac{3}{4}$ " x $6\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—8" x 8"
- No. F-303—For lamps up to 60W**
Box size— $4\frac{3}{4}$ " x $7\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—6" x 9"
- No. F-304—For lamps up to 100W**
Box size $8\frac{3}{4}$ " x $8\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—10" x 10"
- No. F-305—For lamps up to 100W**
Box size— $6\frac{3}{4}$ " x $10\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—8" x 12"
- No. F-306—For lamps up to 150W**
Box size—11" x 11" x $4\frac{1}{4}$ " high
Frame size—12 $\frac{1}{4}$ " x 12 $\frac{1}{4}$ "




SEMI-RECESSED
UNIT

SEMI-RECESSED UNITS . . . OPAL GLASS with DIAMOND-CUT CRYSTAL DIFFUSING PANEL (glass extends down $1\frac{1}{4}$ " from ceiling), POLISHED CHROMIUM FRAMES.

- No. 308—For lamps up to 60W**
Box size— $6\frac{3}{4}$ " x $6\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—8" x 8"
- No. 309—For lamps up to 60W**
Box size— $4\frac{3}{4}$ " x $7\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—6" x 9"
- No. 310—For lamps up to 100W**
Box size $8\frac{3}{4}$ " x $8\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—10" x 10"
- No. 312—For lamps up to 100W**
Box size— $6\frac{3}{4}$ " x $10\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—8" x 12"



RL-7



RL-4

RECESSED LOUVERED UNITS . . . CHIP-PROOF BAKED WHITE ENAMEL FINISH.

- No. RL-4—For lamps up to 100W**
Box size— $8\frac{3}{4}$ " x $8\frac{3}{4}$ " x $4\frac{1}{4}$ " high
Frame size—10" x 10"
- No. RL-7—For spot, flood, sun lamps or standard lamps up to 150W**
Equipped with 3" outlet box mounted on top of unit
Box size— $8\frac{3}{4}$ " x $8\frac{3}{4}$ " x 7" high
Frame size—10" x 10"



PRODUCTS OF PROGRESS.....

GOOD TASTE AND GOOD VALUE
GO HAND IN
HAND IN.....



RODEO


12" WESTERN SQUARE
2 Light
1812 Maroon on White



COOK'S LURE

12" KITCHEN SQUARE
2 Light
1912G Green on white
1912Y Yellow on white
1912R Red on white

Art Squares by Progress




ILIAD 12" CLASSICAL SQUARE

2 Light
1612W White 1612Y Yellow
1612B Blue 1612P Pink

NEW HORIZONS

12" MODERN SQUARE
2 Light


1712W White
1712B Blue
1712Y Yellow
1712P Pink




APPROVED AND LABELED BY
UNDERWRITERS LABORATORIES, INC.

... AN ARRAY OF BEAUTIFUL
NEW FIXTURES IN EXCLUSIVE DESIGNS FOR
EVERY ROOM IN EVERY HOME — DEEP FLARED SHADES OF UNSURPASSED GRACE AND CHARM


DECORATOR PIECES



ATLANTIS
12" round, 2-light.
Classical design — crimped glass.
1512W—White 1512Y—Yellow
1512B—Blue 1512P—Pink



RONDELEY
Round classical fixture;
white simulated cut glass.
1513—13" 2-light 1515—15" 3-light




CORINTH
Grecian square; satin frosted glass.
1914—14" 3-light 1917—17" 4-light




NEW DAY
Modern square;
satin frosted glass.
1814—14" 3-light
1817—17" 4-light



LILAC TIME
Floral square; frosted glass.
2014—14" 3-light
2016—16" 4-light




▲ **ORPHEUS**
Classical square;
frosted glass.
1614—14" 3-light
1616—16" 4-light



◀ **FIVE STAR FINAL**
Modern square;
frosted glass.
1714—14" 3-light
1716—16" 4-light



COQUILLE ▲
Round modern fixture; satin frosted glass.
1919—19" 4-light



FUTURA
Scalloped round modern fixture; satin
frosted glass with beige decoration.
2019—19" 4-light ▼

**FOR BETTER LIVING.....
THROUGH BETTER LIGHTING**

- Designed for Decór-Harmony.
- Packed for certain-safe arrival.
Safest and most secure fixture packing ever developed. Individually boxed in reshippable containers.
- Engineered and equipped for quick, easy and safe installation.
- Equipped with extra wide, extra deep ceiling canopy for greater ease of installation. Baked Ivory Enamel finish. Equipped with **WHITE** sockets.



PRODUCTS OF PROGRESS.....

HALL FIXTURES



503



504



506



COLONIAL BRASS HOLDERS

No. 503

Diameter 6"

Overall Height 6"

Hand-cut Crystal Glass

No. 504

Available in choice of Colonial Brass or Polished Chromium finish.

Diameter 5½"

Overall Height 7"

No. 506


Diameter 7"

Overall Height 4"

Hand-cut Crystal Glass




PM-13C



PM-13G
PM-13Y
PM-13R



PM-14A



PM-15A



PM-16G
PM-16Y
PM-16M

WALL BRACKET LAMPS

FOR PERMANENT MOUNTING

Polished Brass . . . designed and equipped for center lock-up mounting to any size outlet box.

PM 13 Series

PM-13C—Crystal Etched Chimney

PM-13G—Green Chimney

PM-13Y—Yellow Chimney

PM-13R—Red Chimney

Height 11¾"

Extension from Wall 7"

Wall Canopy Diameter 4½"

Hooded Chimney—Diameter .. 5"

PM 14-A

Height 9½"

Extension from Wall 6½"

Wall Canopy Diameter 4½"

Crystal Etched Shade—Diameter 4"

PM 15-A

Height 9½"

Extension from Wall 6½"

Wall Canopy Diameter 4½"

Crystal Etched Shade—Diameter 4"

8 Lucite Drops

PM 16 Series

PM-16G—Green Shade

PM-16Y—Yellow Shade

PM-16M—Maroon Shade

Height 9½"

Extension from Wall 6½"

Wall Canopy Diameter 4½"

Lehr-Fired Ribbed Shade—Dia. 6"



KITCHEN and BATHROOM FIXTURES

POLISHED CHROMIUM FINISH

No. 2503

No. 2503 PC — Wired with pull-chain socket and insulator.

Overall Ht. . . 4 $\frac{3}{4}$ " Ext. from Wall 7 $\frac{3}{4}$ "

Overall Dia. . . 4 $\frac{3}{4}$ " Fitter 3 $\frac{1}{4}$ "

Ceramic fired glass shade with prismatic crystal bottom. Convenience outlet standard.

No. 2504

No. 2504 PC — Wired with pull-chain socket with 3' cord and bell.

Overall Ht. . . 8 $\frac{1}{4}$ " Overall Dia. . . 6 $\frac{1}{2}$ "

Fitter 4"

FOR 1 LAMP UP TO 100W

No. 2505

No. 2505 PC — Wired with pull-chain socket with 3' cord and bell.

Overall Ht. . . 9" Overall Dia. . . 8 $\frac{1}{4}$ "

Fitter 4"

Ceramic fired white and crystal shade with clear lines and bottom louvers.

FOR 1 LAMP UP TO 150W

Catalog No. . . .	2506	2508	2510
Overall Height . .	4 $\frac{3}{4}$ "	5"	5 $\frac{1}{4}$ "
Overall Diameter. 7"		9"	11"
Diameter of Glass 6 $\frac{3}{8}$ "		8 $\frac{3}{8}$ "	10 $\frac{3}{8}$ "
Fitter Size	6"	8"	10"
Number of Sockets 1	2	2	

Ceramic fired white shade with clear lines and bottom louvers. Furnished with knockout for pull-chain switch.

No. 2608

FOR 1 LAMP

Overall Ht. . . 6 $\frac{1}{2}$ "

Shade Width. . 8"

Fitter Size . . 6"

Ceramic fired square shade with ceramic and crystal louvered bottom.

No. 2610

FOR 2 LAMPS

Overall Ht. . . 6 $\frac{1}{2}$ "

Shade Width 10"

Fitter Size . . 8"

No. 2603

No. 2603 PC — Wired with pull-chain socket and insulator.

Overall Ht. . . 4 $\frac{3}{4}$ " Ext. from Wall 7 $\frac{1}{4}$ "

Overall Dia. . . 5" Fitter 3 $\frac{1}{4}$ "

Ceramic fired glass shade with clear bulls-eye crystal bottom. Conv. outlet standard.

No. 2604

No. 2604 PC — Wired with pull-chain socket with 3' cord and bell.

Overall Ht. . . 8 $\frac{1}{4}$ " Overall Dia. . . 7 $\frac{1}{2}$ "

Fitter 4"

Octagonal ceramic fired glass shade with prismatic crystal bottom.

No. 2703

No. 2703 PC — Wired with pull-chain socket and insulator.

Overall Ht. . . 4 $\frac{3}{4}$ " Ext. from Wall 7 $\frac{1}{2}$ "

Overall Dia. . . 5 $\frac{3}{4}$ " Fitter 3 $\frac{1}{4}$ "

Ceramic fired glass shade with prismatic crystal bottom. Convenience outlet standard.


No. 2803

No. 2803 PC — Wired with pull-chain socket and insulator.

Overall Ht. . . 4 $\frac{3}{4}$ " Ext. from Wall 6 $\frac{3}{4}$ "

Overall Dia. . . 6" Fitter 3 $\frac{1}{4}$ "

Ceramic fired glass shade with fluted crystal bottom. Convenience outlet standard.



2503
2503 PC



2603
2603 PC



2703
2703 PC



2803
2803 PC



2504
2504 PC




2505
2505 PC



2608
2610
2510



2604
2604 PC



... PRODUCTS

INCANDESCENT

Adjustable All-Purpose WALL BRACKETS

Polished chromium finish. Acid-etched bent glass shield with ceramic-fired lines.
Length14½" Height4½"
Extension from wall4"
Wired for 2 lamps.

- No. 3008 — with convenience outlet.
No. 3008 PC — wired with pull-chain socket and convenience outlet.
No. 3009 — less convenience outlet — less pull-chain switch.
No. 3009 PC — with pull-chain switch — less convenience outlet.

BATHROOM BRACKETS

Acid-etched bent glass shield with ceramic-fired design.
Length11¾" Height5"
Extension from wall4½"
Wired for 2 lamps.

- No. 3010 — with convenience outlet.
No. 3010 PC — wired with pull-chain socket and convenience outlet.
No. 3011 — less convenience outlet — less pull-chain switch.
No. 3011 PC — wired with pull-chain socket — less convenience outlet.
No. 3002 — Without convenience outlet.
No. 3003 — With convenience outlet.
Overall Ht. . .6½" Overall Width. .4½"
Extension from Wall4¾"
Opal Glass Shade with Prismatic Crystal Window
No. 3004 — Without convenience outlet.
No. 3005 — With convenience outlet.
Overall Ht. . .6½" Overall Width. .3½"
Extension from Wall4½"
Opal Glass Shade

FOR ADDED LUXURY . . . HAND BLOWN AND HAND DECORATED FEATHERWEIGHT SHADES OF INCOMPARABLE QUALITY AND ATTRACTIVENESS.

- No. 3504
No. 3504 PC — Wired with pull-chain socket with 3' cord and bell.

Overall Ht. . .8½" Overall Dia. . .8"
Fitter4" For 1 Lamp up to 150W
Hand blown, hand decorated glass shade — ceramic fired with prismatic crystal bottom.

- No. 3505
No. 3505 PC — Wired with pull-chain socket with 3' cord and bell.
Overall Ht. . .8¾" Overall Dia. . .8½"
Fitter4" For 1 Lamp up to 150W
Hand blown, hand decorated glass shade — ceramic fired with prismatic crystal bottom.

No. 3507 Overall Ht. . .5½" 7" Square FOR 1 LAMP
6" fitter. Knockout for pull-chain switch.
Hand blown, hand decorated glass shade — ceramic fired with prismatic crystal bottom.


No. 3509 Overall Ht. . .5½" 9¼" Square FOR 2 LAMPS
8" fitter. Knockout for pull-chain switch.
Hand blown, hand decorated glass shade — ceramic fired with prismatic crystal bottom.

Catalog No. . . .	3506	3508	3510
Overall Height . .	5¾"	5¾"	5¾"
Overall Diameter. .	6¾"	8¾"	10¾"
Diameter of Glass	6¾"	8¾"	10¾"
Fitter Size	6"	8"	10"
Number of Sockets	1	2	2

Furnished with knockout for pull-chain switch.
Hand blown opal glass shade.

Catalog No. . . .	4506	4508	4510
Overall Height . .	4¾"	4¾"	4¾"
Overall Diameter. .	6¾"	8¾"	10¾"
Diameter of Glass	6¾"	8¾"	10¾"
Fitter Size	6"	8"	10"
Number of Sockets . .	1	2	2

Furnished with knockout for pull-chain switch.
Hand blown opal glass shade.



HAND BLOWN GLASS

O F P R O G R E S S

CIRCLINE UNITS

- Constructed of heavy gauge steel
- Polished chromium or chip-proof baked white enamel finish.
- Equipped with exclusive Progress-designed and Progress-manufactured devices (UL approved).

No. 333 Series

DIAMETER—12" HEIGHT—3 3/4"

FW-333—Baked White Enamel

FC-333—Polished Chromium

INSTANT START UNITS

FW-333 IS—Baked White Enamel

FC-333 IS—Polished Chromium

No. 444 Series

DIAMETER—12" HEIGHT—4 1/4"

Crystal Glass Ornament

FW-444—Baked White Enamel

FC-444—Polished Chromium

INSTANT START UNITS

FW-444 IS—Baked White Enamel

FC-444 IS—Polished Chromium

No. 555 Series

DIAMETER—12" HEIGHT—4"

FW-555—Baked White Enamel

FC-555—Polished Chromium

INSTANT START UNITS

FW-555 IS—Baked White Enamel

FC-555 IS—Polished Chromium

No. 666 Series

DIAMETER—12" HEIGHT—5 1/4"

Crystal Glass Ornament

FW-666—Baked White Enamel

FC-666—Polished Chromium

INSTANT START UNITS

FW-666 IS—Baked White Enamel

FC-666 IS—Polished Chromium

Equipped with Progress Bakelite
Tension-Support Lamp Holders

No. 777 Series

DIAMETER—12" HEIGHT—3 3/4"

Ceramic-Fired Glass

FW-777—Baked White Enamel

FC-777—Polished Chromium

INSTANT START UNITS

FW-777 IS—Baked White Enamel

FC-777 IS—Polished Chromium



444 Series



333 Series




555 Series



666 Series



777 Series



• • • • • P R O D U C T S

FLUORESCENT



888 Series



999 Series

- All styles have permanently mounted sockets.
- Designed and equipped for center lock-up.
- Knockout for pull-chain switch.
- For flush mounting only.
- Wired for 60 cycle—110-125 volt A.C. Low Power Factor.

No. 888 Series

DIAMETER—13 1/4" HEIGHT—6"

Ceramic-Fired Glass

FW-888—Baked White Enamel

FC-888—Polished Chromium

INSTANT START UNITS

FW-888 IS—Baked White Enamel

FC-888 IS—Polished Chromium

No. 999 Series

DIAMETER—13" HEIGHT—6 1/4"

Ceramic-Fired Glass

FW-999—Baked White Enamel

FC-999—Polished Chromium

INSTANT START UNITS


FW-999 IS—Baked White Enamel

FC-999 IS—Polished Chromium




2812 Series


TWO-LIGHT CIRCLINES



2790 Series



2777 Series



Two-Light

CIRCLINE UNITS

No. 2777 Series

For 2-32W Circline Lamps

DIAMETER—12" HEIGHT—6"

Ceramic-Fired Glass

FW-2777—Baked White Enamel

FC-2777—Polished Chromium

No. 2790 IS Series

INSTANT START

For 2-32W Circline Lamps

DIAMETER—13 1/2" HEIGHT—6"

FW-2790 IS—Baked White Enamel

FC-2790 IS—Polished Chromium

No. 2812 Series

For 1-32W and 1-22W Circline Lamp

DIAMETER—12" HEIGHT—4 1/4"

Crystal Glass Ornament

FW-2812—Baked White Enamel

FC-2812—Polished Chromium

OF PROGRESS



UTILITY UNITS

FLUORESCENT

No. 820

Length 35", Width 6 $\frac{3}{8}$ "
Height 3 $\frac{5}{8}$ "

2 light—20W stream-
liner for flush mounting

Baked white enamel reflector with polished
chromium ends and center trim.

No. 825

Length 44", Width 6 $\frac{3}{8}$ "
Height 3 $\frac{5}{8}$ "

2 light—25W stream-
liner for flush mounting

8420 Series

LENGTH 27", WIDTH 13 $\frac{1}{2}$ ", HEIGHT 3"
4 light—20W units for flush mounting. Baked
white enamel reflector with polished chro-
mium center trim.

FW-8420—Baked white enamel ends
with polished chromium trim.

FC-8420—Polished chromium ends.

220 Series

LENGTH 25", WIDTH 6 $\frac{1}{4}$ ", HEIGHT 3 $\frac{1}{4}$ "

For Flush Mounting

No. F-220—Baked white enamel
ends.

No. FC-220—Polished chromium
ends.

For Semi-Flush Mounting

5" CANOPY

No. S-220—Baked white enamel
ends.

No. SC-220—Polished chromium
ends.

Adaptor Type

WITH 4" FITTER, CORD AND PLUG

No. A-220—Baked white enamel
ends.

No. AC-220—Polished chromium
ends.

320 Series

LENGTH 24 $\frac{1}{2}$ ", WIDTH 7", HEIGHT 4 $\frac{1}{2}$ "

For Flush Mounting

No. FC-320—Polished chromium
ends.

For Semi-Flush Mounting

5" CANOPY


No. SC-320—Polished chromium
ends.

Adaptor Type


WITH 4" FITTER, CORD AND PLUG

No. AC-320—Polished chromium
ends.


Wired for 60 cycle—110-
125 volt A. C. LPF



820
825




8420 Series



220 Series



320 Series



. PRODUCTS


STREAMLINED BRACKETS



Bracket only




With Adjustable Chromium Reflector



Glass Shield is completely Adjustable for placing over or beside Mirrors . . . or in any other desired location




With Ceramic Designed Glass Shield



Bracket only



With Adjustable Chromium Reflector



FLUORESCENT

Heavy gauge metal. Polished Chromium Finish. Switch in base

All White Bakelite Lampholders, Switches and Convenience Outlets Provide Added Beauty.

BRACKET ONLY

For 14W Lamps—

18" x 2 1/8" Wide x 3" at center.

No. 1215 (less convenience outlet).

No. 1215CO (with convenience outlet).

For 15W Lamps—

21" x 2 1/8" Wide x 3" at center.

No. 1218 (less convenience outlet).

No. 1218CO (with convenience outlet).

With completely new designed

ONE-PIECE ADJUSTABLE REFLECTOR

For 14W Lamps—18" x 2 1/8" Wide x 3" at center. Width of reflector—3".

No. 1215R (less convenience outlet).

No. 1215RCO (with convenience outlet).

For 15W Lamps—21" x 2 1/8" Wide x 3" at center. Width of reflector—3".

No. 1218R (less convenience outlet).

No. 1218RCO (with convenience outlet).

With ceramic designed

ADJUSTABLE GLASS SHIELD

Equipped with chrome combination socket cover and glass holder. No knobs on glass to mar beauty or cause cracking of glass.

For 14W Lamps—18" x 2 1/8" Wide x 3" at center. Width of glass shield—3 3/4".

No. 1215G (less convenience outlet).

No. 1215GCO (with convenience outlet).

For 15W Lamps—21" x 2 1/8" Wide x 3" at center. Width of glass shield—3 3/4".

No. 1218G (less convenience outlet).

No. 1218GCO (with convenience outlet).

The "One-Hundred" Series

BUDGET BRACKETS

Heavy Gauge Metal. Polished Chromium Finish . . . Switch in Base.

BRACKET ONLY

For 14W Lamps—16" x 3" wide

No. 115 (less convenience outlet).

No. 115CO (with convenience outlet).

For 15W Lamps—19" x 3" wide

No. 118 (less convenience outlet).

No. 118CO (with convenience outlet).

For 20W Lamps—25" x 3" wide

No. 124 (less convenience outlet).

No. 124CO (with convenience outlet).

Polished Chromium REFLECTORS

Sold Separately (Not Packed with Fluorescent Brackets)

No. R-15—For 14W bracket.

No. R-18—For 15W bracket.

No. R-24—For 20W bracket.

Wired for 60 cycle—110-125 volt
A. C. Low Power Factor Only

OF PROGRESS



HINGED RECESSED UNITS

EQUIPPED WITH THE
EXCLUSIVE NEW PROGRESS
"INSTANT EASE"

HINGED FRAMES

Hinges are fully concealed inside box but designed for free, easy swing. Frame clears ceiling when box is opened for relamping or maintenance. No scratched or marred ceilings.

- **Heavy steel construction**
- **Extra wide, ONE-PIECE chromium plated frames to eliminate light spillage**
- **Air vents on all sides of box provide extra ventilation for longer lamp life**
- **Key slot knockouts on top for direct mounting of 4" outlet box to recessed box**
- **Wired for 60 cycle 110-125 volt A.C. Low or High Power Factor**

RECESSED UNITS

POLYSTYRENE PANELS

No. 6120—For one 20W lamp

Box size— $4\frac{3}{4}$ " x 24" x $4\frac{1}{4}$ " high
Frame size— $6\frac{1}{4}$ " x $25\frac{1}{2}$ "

No. 6220—For two 20W lamps

Box size— $6\frac{3}{4}$ " x 24" x $4\frac{1}{4}$ " high
Frame size— $8\frac{1}{4}$ " x $25\frac{1}{2}$ "

SEMI-RECESSED UNITS

CERAMIC DESIGNED BENT-GLASS PANELS
GLASS EXTENDS $1\frac{1}{4}$ " BELOW CEILING

No. 7120—For one 20W lamp

Box size— $4\frac{3}{4}$ " x 24" x $4\frac{1}{4}$ " high
Frame size— $6\frac{1}{4}$ " x $25\frac{1}{2}$ "


No. 7220—For two 20W lamps

Box size— $6\frac{3}{4}$ " x 24" x $4\frac{1}{4}$ " high
Frame size— $8\frac{1}{4}$ " x $25\frac{1}{2}$ "



6120
6220

7120
7220




SHOWING
UNIT OPEN
FOR RELAMPING
OR
MAINTENANCE





..... **P R O D U C T S**

STRIP LIGHTING

2115
2120
2130
2140



2220
2240



- **Constructed of Heavy Gauge Steel**
- **Chip-Proof Baked White Enamel Finish**
- **All equipment (ballasts, starters, sockets) mounted in chassis, making cover-plates readily removable for ease in installation and maintenance.**

No. 2115—1 light 15-watt.
LPF only, 19" long.

No. 2120—1 light 20-watt.
LPF only, 25" long.

No. 2130—1 light 30-watt.
LPF only, 37" long.

No. 2140—1 light 40-watt.
LPF or HPF, 49" long.


No. 2220—2 light 20-watt.
LPF only, 25" long.

No. 2240—2 light 40-watt.
HPF only, 49" long.

Wired for 60 cycle—110-125 volt A. C.

INDUSTRIAL UNITS

ECON-O-LITE
TWO LIGHT 40 WATT
INDUSTRIAL UNIT



4040

No. 4040

- 49" long; 11" wide, 5 1/8" high.
- **FINISH:** High temperature baked enamel. Body and outside of reflector finished gray, inside of reflector finished white.
- **DROP-TYPE REFLECTOR.**
- All equipment (ballasts, starters, sockets) mounted in chassis to provide maximum ease of installation and maintenance.
- **CONDUIT SUSPENSION:** 1/2" knockouts spaced on 39 1/4" centers.
- **CHAIN SUSPENSION:** Embossed loops on top of chassis spaced on 37 1/16" centers for attaching chain.
- **KNOCKOUT** at end for switch or for continuous run connections.
- Wired for 60 cycle—110-125V AC. HPF.

O F P R O G R E S S



A BETTER PRODUCT AT A LOWER PRICE

That is the principle upon which our company was founded in 1906, and upon which it has grown through the years.

Wide-spread appreciation of this policy has been responsible for our constant expansion and the maintenance of our position as the world's leading producer of residential lighting fixtures. Our fundamental aim is to preserve our greatest asset — loyal distributor acceptance and customer acceptance — by constantly striving to improve the quality of our products, our packaging and our service.

PROGRESS MANUFACTURING CO., INC.

Ruben P. Rosen
President



PRODUCTS OF PROGRESS.....

PLATING

The latest and finest plating equipment available, including an extensive ultra-modern completely automatic plating system, plus long years of experience combine to produce the incomparably fine finish and lasting beauty for which Progress Products are famous.

POLISHING


Hundreds of polishing machines, many of them semi-automatic and fully automatic are in constant operation to provide the gleaming Progress mirror like lustre. Automatic lacquering machines apply a uniform, permanent, top-quality finish.

ELECTRICAL DEVICE PRODUCTION

Progress fixtures are equipped with Progress-designed, Progress-manufactured switches, sockets, convenience outlets and other electrical devices produced in our own plant. This is just another example of Progress self-sufficiency.

WAREHOUSING


Extensive warehouse facilities permit the carrying of huge inventories and make it possible for us to "ship from stock." This, combined with ultra-modern materials-handling equipment and immense loading docks, makes possible an outward flow of merchandise in keeping with Progress mass-production and mass sales.



AUTOMATIC PLATING








POLISHING



WAREHOUSING



DEVICE PRODUCTION



PROGRESS PRODUCTS ARE APPROVED AND
LABELED BY UNDERWRITERS LABORATORIES, INC.

PRINTED
IN
U.S.A.

PEARL-PRESSMAN CO.
PHILADELPHIA, PA.